

# COSTUME REFERENCE LIBRARY

## Boba Fett, Return of the Jedi



Model **BH-6202 Oscar Lindh** , Photo by **Photographer**



**Description:** Boba Fett, Return of the Jedi

**Prefix:** BH

**Detachment:** [Bounty Hunters Guild](#)

**Context:** Star Wars Episode VI

*Boba Fett, the unaltered clone of [Jango Fett](#) was one of the most feared bounty hunters in the galaxy. He is most famous for delivering Han Solo to Jabba the Hutt.*

Boba Fett's costume is one of the most complicated in the 501st. Please note that there are multiple variations of the suit, and costumers are required to be consistent to a particular reference with their suits. For a wealth of Boba Fett information, please visit [The Dented Helmet](#), a site largely dedicated to Boba and Jango Fett!

The 501st approval requirements are listed in black.

The Bounty Hunters' Guild defines two additional, optional levels of costuming excellence. In the page below, requirements for Level 1 "Notorious" are listed in blue. Level 2 "Infamous" requirements are in red. Please visit the BHG web site for a full description of these standards.

**For 501st membership only the requirements in black need to be met.**

- **This CRL is a work in progress.**
- This costume may be approved by GMLs, but until the library entry is complete, it is suggested that this character first be submitted to the appropriate DL/GML peer review section of the legion forum.
- **If you have this costume and would like to assist with the completion of this library entry, please contact your detachment leader.**
- **Please note that the use of the word "should" below does not indicate that the armor piece is considered open to interpretation. All instances of "should be" and "should have" will be replaced with "is" and "has", as this guide is completed.**

## Required Costume Components

The following costume components are present and appear as described below.



Helmet  
For 501st approval:

- Must have a dark colored, full one piece "T" visor.
- Must have a rangefinder and stalk on the right side of the helmet.
- The mandibles and head band area must be a dark red/burgundy color.
- The upper cheeks must be a blue-green color.
- The ear pieces, rangefinder stalk and key slot area must be a weathered, silver metal / metallic in appearance.
- The rangefinder topper must be black with a translucent lower piece and the appearance of 2 red "lights" on the top.
- The helmet must have 18 "Kill Stripes" on left side of helmet solid dark orange in color.
- The dome and lower cheeks must be a light olive green in color.
- The right cheek has a "borden connector" (or replica) detail piece installed.
- The dome features a prominent dent in the left front portion.
- The helmet back must be medium green in color.
- The helmet must be weathered and should match the visual references as closely as possible, both in colors and weathering patterns.
- The keyhole slots in the rear of helmet must have a Casio MQ-1 circuit board (or cast replica) mounted in the openings. This detail may be cast into the helmet or mounted behind cut out openings in the slots.

For level two certification (if applicable):

- T-Visor must be smoke gray.
- The bottom two keyhole slots must each have a dark red Micromega dental file or resin replica sticking out from them.

For level three certification (if applicable):

Neck Seal  
For 501st approval:

- A quilted neck seal made from the same fabric as the vest.



- Horizontal ribs run along the seal.
- The seal closes in the front via hooks or velcro.

For level two certification (if applicable):

- Must be made of accurate "tackle twill" material.

For level three certification (if applicable):



Flak Vest

For 501st approval:

- Must have appearance of 'tackle twill' fabric and be light gray in color, weathered and quilted.
- Must close down the back.
- Must have short shoulder tabs to mount the shoulder armor. These tabs must be quilted, running from the end of the tab up to the shoulder.
- Must have slits cut into the back of the vest in order for the jetpack harness straps to feed through.
- Must allow for the attachment of chest, back, belly, shoulder and collar armor.
- Must be short enough to stop before hitting the girth belt. It should be no longer than necessary to mount the armor (approximately 1/2" of vest should be showing below the armor).

For level two certification (if applicable):

- Must be made of accurate tackle-twill material.

For level three certification (if applicable):



Chest armor

For 501st approval:

- Consists of collar armor, left and right breast plates, a center diamond and an abdominal plate.
- Must have dimension and give the feeling of thickness and depth.
- Must be medium/dark green with weathering that appears to expose a silver base color with yellow edges around the damage. Weathering must reasonably match visual reference.
- Left breast plate must have two cut out horizontal bars, the lower one to be wider and positioned as shown in visual references.
- Left breast plate slots must be backed by a translucent screen.
- The right breast plate has a decal in the upper right. The decal must be present and match visual reference.
- Center diamond plate between breast plates must have an indented silver, vertical rectangle as shown in visual references.
- Must attach securely to the front of the vest
- The collar armor connects to the back plate via 4 square silver metal/metallic studs.
- The studs may be functional connectors or decorative. If the studs are not the functional connection between collar and back plate, no other attachment method may be visible.

For level two certification (if applicable):

- Chest slots must have an illuminated red display, flashing in a pattern consistent with film reference.

For level three certification (if applicable):



Back Armor  
For 501st approval:

- Must have dimension and give the feeling of thickness and depth.
- Must be medium/dark green with weathering that appears to expose a silver base color with yellow edges around the damage. Weathering must reasonably match visual reference.
- Must have two rectangular slots over the shoulder blades to allow for the jetpack straps to feed through.
- Must have curved cutout at the bottom to allow for jetpack harness/straps.
- Connects to collar armor via 4 square silver metal/metallic studs.
- The studs may be functional connectors or decorative. If the studs are not the functional connection between collar and back plate, no other attachment method may be visible.

For level two certification (if applicable):

For level three certification (if applicable):



Jetpack  
For 501st approval:

- The colors for the jetpack are: medium blue, silver, white, black, yellow-orange, and red.
- Must have the following main components: one center tank and two side fuel tanks, "piano keys" stretching horizontally at the top of the main body on each side of the center raised strip, one center missile, two side mounted thrusters / nozzles, one beacon light and one stabilizer.
- Must attach snugly against the backplate via two black shoulder straps which exit the backplate armor through two slots located near the shoulder blades.
- All patterns, colors and weathering must match visual references as closely as possible.
- Lettering symbols and pinstriping (either hand painted or decals) must match visual references as closely as possible

For level two certification (if applicable):

- Must have a white light in the beacon
- Must attach to the harness via two metal hooks that exit the rear of the jetpack.
- Must have a black webbing waist belt connected either to the pack itself or a harness. This belt must have an accurate US Divers buckle (or replica).

For level three certification (if applicable):

- Must have accurate scuba tank frame with black webbing waist belt connected to include the accurate US Divers buckle (or replica).

Cape  
For 501st approval:

- Olive green canvas cape hung from the outer stud on the left shoulder.
- Cape is approximately 30" wide by 36" long.
- Cape must be tattered and weathered.

For level two certification (if applicable):



- Cape must be made from an accurate US Army shelter half.

For level three certification (if applicable):



Wookiee Scalps

For 501st approval:

- Blonde, brown and black braided loops of hair hung from the right shoulder.
- Color and ornaments on the braids must be consistent with visual reference.

For level two certification (if applicable):

- Must be made from actual horse hair.

For level three certification (if applicable):



Shoulder Armor

For 501st approval:

- Must have dimension and give the feeling of thickness and depth.
- Must be golden yellow in color and weathered where indicated in visual references to give the illusion of battle wear and damage.
- Must have six points to the armor and curve around the upper arm.
- Must attach securely to shoulders of the vest .
- The left shoulder has a red Mythosaur skull symbol on a white background. The RotJ skull has horns that are not attached to the skull.

For level two certification (if applicable):

For level three certification (if applicable):



Left Gauntlet

For 501st approval:

- Gauntlets are dark red / burgundy in color and are weathered to expose a base silver color as shown in visual reference.
- A Casio MQ-1 Calculator keypad (or cast replica) appears at the wrist.
- A vintage dental expander (or cast replica) is mounted near the keypad.



- A rocket is mounted to the top of the arm. The rocket must match visual references.
- A flame thrower housing is mounted on the outside of the arm.
  - ◆ The flamethrower has 2 nozzles exposed at the wrist end.
  - ◆ 2 momentary switches are mounted to the top of the housing.
- A round, flat red LED appears near the elbow side of the gauntlet.
- The lower shell of the gauntlet is rounded, with rectangular indents matching visual reference.

For level two certification (if applicable):

- Calculator keypad buttons must be painted to match visual reference.



For level three certification (if applicable):

Right Gauntlet

For 501st approval:

- Gauntlets are dark red / burgundy in color and are weathered to expose a base silver color as shown in visual reference.
- Four small silver darts are mounted at the top of the gauntlet.
- Two silver switches are mounted on the outside facing side.
- A cord housing is mounted to the outside of the arm as seen in visual reference.
  - ◆ One hose connector comes out of the back of this housing.
  - ◆ A second hose connector comes out of a rod mounted immediately under the housing.
- A third hose connector is attached to the top of the gauntlet. The hose runs up under the short sleeve of the flight suit.

For level two certification (if applicable):

- 2 correct momentary pushbutton switches are used.
- Two of the darts should have black tips to match visual reference.

For level three certification (if applicable):



Gloves

For 501st approval:

- Light grey gloves with white quilted patches on the fingers and back of hands which match visual reference.
- Padding on the back of the right glove is longer than the left.

For level two certification (if applicable):

- White Military Dress Gloves (or replicas) with the button on the inner wrist are used and dyed light gray.
- Padding on gloves is made from the shiny side of the same tackle twill material used on the vest and sewn onto the gloves.

For level three certification (if applicable):

Flight Suit

For 501st approval:

- The flight suit is light gray and should be snugly fitted to the wearer.
- The suit has long sleeves, with short sleeves on top of them.
- The legs each have small tool pockets on each shin that are open on the top, and larger pockets with flaps on the thighs.



- The suit must be weathered, particularly at the legs and thigh pouches.
- The short sleeves must have 4 rows of stitching along the bottom edge and a vertical seam at the front of the arm.

For level two certification (if applicable):

- Must have 5 rows of stitching around the ankles.

For level three certification (if applicable):

- Suit color is light gray with a cool, blue hue.



Ammo Belt

For 501st approval:

- A medium brown leather or leather like belt that secures via velcro in the rear.
- The belt has 8 ammo pouches on the front with no gaps between them.
- Ammo belt has 6 decorative grommets on the back.

For level two certification (if applicable):

For level three certification (if applicable):



Hip Pouches

For 501st approval:

- A pouch is present at each hip.
- Pouches are beige and must be weathered.
- Pouches have angled flaps at the top.
- Pouches are mounted via fabric loops over the ammo belt. The loops are the full width of the pouches.

For level two certification (if applicable):

For level three certification (if applicable):



Girth Belt

For 501st approval:

- The girth belt is a dark red multi-strand rope belt wrapping around the front of the body.
- In the back there is a gap of 6-8 inches.
- The girth belt has 4 silver buckles on the rear, connected via black straps.

For level two certification (if applicable):

- Must use proper horse girth belt.

For level three certification (if applicable):

Codpiece



For 501st approval:

- The codpiece wraps around the front of the body, connecting to the kidney plate on the sides via 2 square metal/metal-like studs.
- The codpiece must have a dent in the front, matching visual references.
- The studs may be functional connectors or decorative. If the studs are not the functional connection between cod and kidney, no other attachment method may be visible.
- A white or light gray nylon or canvas strap runs from the bottom of the cod piece, up the back to the kidney plate.

For level two certification (if applicable):

For level three certification (if applicable):



Kidney Plate

For 501st approval:

- The kidney plate wraps around the back of the body, connecting to the codpiece on the sides via 2 square metal/metal-like studs.
- The studs may be functional connectors or decorative. If the studs are not the functional connection between cod and kidney, no other attachment method may be visible.
- The kidney plate is a medium/dark green with weathering that displays and exposed silver base color with yellow edges around the damage.

For level two certification (if applicable):

For level three certification (if applicable):



Knee Armor

For 501st approval:

- Must have dimension and give the feeling of thickness and depth.
- Must be golden yellow in color and weathered where indicated in visual references to give the illusion of battle wear and damage.
- Must attach via a 1" dirty white elastic strap around the back of the knee.
- The left knee has 2 cylindrical dart launchers on the outside. These launchers must match visual references.
- The right knee has 1 cylindrical dart launcher on the outside (bottom position) and a tapered metal detail in the top position. These details must match visual references.
- Inner section must form an upside down "F" pattern as shown in reference images.

For level two certification (if applicable):

For level three certification (if applicable):

Shin Tool: Sonic Beam Weapon

For 501st approval:

- May be made as shown in the Star Wars Visual Dictionary or from original found part.
- The Sonic Beam Weapon is a Paterson Squeegee, still available from photography supply companies (or a cast replica).

For level two certification (if applicable):

For level three certification (if applicable):






#### Shin Tool: Anti-Security Blade

For 501st approval:

- May be made as shown in the Star Wars Visual Dictionary or from original found part.
- The Anti-Security Blade is made from the cut off portion of the Paterson squeegee combined with 2 stylus brush parts from a Mitchell Engineering stylus brush (or a cast replica).

For level two certification (if applicable):



For level three certification (if applicable):



#### Spats

For 501st approval:

- The top of the boot is covered by a fabric spat of similar color to the belt pouches.

For level two certification (if applicable):

For level three certification (if applicable):



#### Boots

For 501st approval:

- Canvas / fabric boots with black piping running in 2 lines from toe to ankle.
- Elastic sides
- White, flat soles.
- 2 spikes attached at the toe via a toe plate. Spikes and plates are metal, or should appear to be metal.
- Boots must be heavily weathered as shown in reference images.

For level two certification (if applicable):

For level three certification (if applicable):

## Optional Accessories

Items below are optional costume accessories. These items are not required for approval, but if present appear as described below.




Shin Tool: Survival Knife  
For 501st approval:

- May be made as shown in the Star Wars Visual Dictionary or from original found part.
- The survival knife is made from a Paterson chemical stirrer, still available from photography supply companies (or a cast replica)..

For level two certification (if applicable):

For level three certification (if applicable):



Shin Tool: Jetpack Adjustment Tool  
For 501st approval:

- The found item for this part has not been identified.
- The Jetpack Adjustment Tool is a silver colored cylinder fitted into the tool pocket.

For level two certification (if applicable):

For level three certification (if applicable):



Return of the Jedi EE-3  
For 501st approval:

- Made from a Webley MK VI Flare gun (or replica)
- Barrel modified for ROTJ with T track installed to match visual reference.
- ASI or similar 4x20 scope mounted to the top.
- Accurate detail pieces installed on the sides of gun and stock.

For level two certification (if applicable):

For level three certification (if applicable):

---

This document and all of the images within were created by and are the property of the 501st Legion. All other uses are prohibited.

- This CRL is available as a PDF at [www.501st.com/databank/Costuming:BH\\_Boba\\_Fett-RotJ](http://www.501st.com/databank/Costuming:BH_Boba_Fett-RotJ)

The 501st Legion is a worldwide Star Wars costuming organization comprised of and operated by Star Wars fans. While it is not sponsored by Lucasfilm Ltd., it is Lucasfilm's preferred Imperial costuming group. Star Wars, its characters, costumes, and all associated items are the intellectual property of Lucasfilm. ©2012 Lucasfilm Ltd. & TM. All rights reserved. Used under authorization.

Visit [www.501st.com](http://www.501st.com) to learn more.